The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-23538

Stream : St. Marys River

Applicant : Decatur Parks Department

Dwight Pierce 231 East Monroe

Decatur, IN 46733-1701

Description : A paved trail will be developed along the east bank of the St. Mary's River to

provide a walking and bike riding trail. The facility will consist of a 10' by 6000' trail. The fill will cover a 10' x 6000' area and will be 4" in depth. It will be set back

10' from the top of the streambank. Details of the project are contained in information received electronically at the Division of Water on September 19,

2005.

Location : Along the east bank immediately south of the Highway 224 river crossing and

extending south approximately 6000'

DOWNSTREAM: at Decatur, Washington Township, Adams County NW1/4, NE1/4, Section 3, T 27N, R 14E, Decatur Quadrangle

Quad Code: 4008478

UTM Coordinates: Downstream 4521932 North, 675243 East

UPSTREAM: N½, SW¼, Section 2

UTM Coordinates: Upstream 4520954 North, 676290 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 1 09/30/2005 10:47 AM

Application # : FW-23539

Stream : Kirkendall Creek

Applicant : City of Noblesville

Kevin A Jump

City Hall

16 South 10th Street Noblesville, IN 46060

Description

: Two new bridges will be constructed in association with Noble West Subdivision, one will carry Edenshall Lane and the other will be a pedestrian bridge connecting a walking trail. The first structure will be a two-span timber bridge with span lengths of 26' and 26'. The structure will have an out-to-out length of 53'-3.8" and a clear roadway width of 31'. The spill through abutments will have 2:1 sideslopes armored with riprap placed over geotextiles. The abutments will be skewed 15 degrees to align with streamflow. The approach roads will be elevated a maximum of 5.8' above the existing grade. A 6' wide sidewalk will be constructed on the north side of the structure and a 10' wild sidewalk will be constructed on the south side. The second structure will be a single-span timber bridge with a span length of 25'. The structure will have an out-to-out length of 11' and a clear travel way width of 10'. The spill through abutments will have 2:1 sideslopes armored with riprap placed over geotextiles. The abutments will not be skewed and will be square with the channel. The pedestrian approaches will follow the existing grade. Also, several areas will be cut and filled to create a park along the west bank between the proposed structures. Park construction activities within the floodway will consist of one (1) 160' x 360' football field, a portion of a 450' x 64' paved parking lot, and a paved walkway that will constructed at grade. The proposed park area will require 0.04 acres of wetlands to be completely filled in. Details of the project are contained in information and plans received at the Division of Water on September 19, 2005.

Location

Beginning approximately 1000' upstream of the East 146th Street stream

crossing, continuing along the west bank to approximately 1200'

DOWNSTREAM: near Noblesville, Noblesville Township, Hamilton County

SW1/4, Section 15, T 18N, R 4E, Noblesville Quadrangle

Quad Code: 4008611

UTM Coordinates: Downstream 4428260 North, 579855 East

UPSTREAM:

UTM Coordinates: Upstream 4428595 North, 579775 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23542

Stream : Ohio River

Applicant : Consolidated Grain and Barge Company

Terry Ham

210 George Street Aurora, IN 47001-1401

Description : Approximately 425' along the grain loading dock will be dredged to remove

sediment buildup. The dredged area will be approximately 25' wide to an average depth of 3' to 5'. A hydraulic excavator located on the riverbank will perform the dredging. The excavated material will be loaded onto dump trucks to be transported to an upland drying/storage site on the facility property located landward of the floodway. The excavated material will be allowed to dewater before it is disposed of by sale as fill material or to a landfill located landward of the floodway. Excavating a small depression and using the excavated materials to form a 3' high berm around the depression will construct the dewatering basin. Details of the project are contained in information and plans received at the

Division of Water on September 22, 2005.

Location : Along the right (west) bank, beginning approximately 900' upstream of the

confluence of Hogan Creek and continuing upstream approximatley 440'

DOWNSTREAM: at Aurora, Center Township, Dearborn County

NW14, NE14, NE14, Section 32, T 5N, R 1W, Aurora, IN-KY Quadrangle

Quad Code: 3908418

UTM Coordinates: Downstream 4325280 North, 682005 East

UPSTREAM: Section 29, T 5N, R 1W

UTM Coordinates: Upstream 4325400 North, 682050 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23544

Stream : Brandywine Creek

Applicant : Arbor Investments, LLC

Michael Terry

6666 East 75th Street, Ste. 400

Indianapolis, IN 46250

Description : A new residential development, Keystone Subdivision, is under construction

along the (east) bank of Brandywine Creek to provide additional housing. Floodway construction activities associated with this development include: Installation of a 6 foot coated chain length fence from the top of the bank of Brandywine Creek (approximately 40' from the water's edge) and extending the entire length of the eastern property line of the existing Keystone Subdivision. The purpose of this project is to separate the residential subdivision from the adjoining parcel. Details of the project are contained in information received

electronically at the Division of Water September 23, 2005.

Location : Approximately 1/4 mile east of County Road 400 West on the south side of

County Road 100 North

near Greenfield, Center Township, Hancock County NE½, Section 34, T 16N, R 7E, Cleveland Quadrangle

Quad Code: 3908576

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 4 09/30/2005 10:47 AM

Application # : FW-23545

Stream : Ohio River

Applicant : Steve Huffman

11 Ashland Cove Road Vevay, IN 47043-8800

Description : Two concrete mooring pins have been constructed along the bank to facilitate

mooring a historic vessel. In addition, an anchor, comprised of eight 55-gallon plastic barrels filled with concrete and steel reinforcement, has been placed in the river. Details of the project are contained in information and plans received at the

Division of Water on September 26, 2005.

Location : Along the right (north) bank, at river mile 545.9

near Lamb, Craig Township, Switzerland County Section 21, T 3N, R 12E, Carrollton, KY-IN Quadrangle

Quad Code: 3808562

UTM Coordinates: Downstream 4283704 North, 657323 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-23546

Stream : St. Joseph River

Applicant : Ron Miller

12260 East Jefferson

Mishawaka, IN 46545-7723

Description : A steel sheet piling seawall will be constructed across 100' of the applicant's

frontage. The 6' panels will be driven 4' into the riverbank with deadmen placed every 9'. The piling will be capped with 4" angle-iron and bolted to each panel. Details of the project are contained in information and plans received at the

Division of Water on September 26, 2005.

Location : Along the right bank approximately 1300' upstream of the Bittersweet Road

stream crossing

near Mishawaka, Penn Township, St. Joseph County

NE14, SW14, NE14, Section 7, T 37N, R 4E, Osceola Quadrangle

Quad Code: 4108661

UTM Coordinates: Downstream 4613980 North, 574517 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23548

Stream : Fawn River

Applicant : *Indiana Department of Transportation

Carole Korbly Scott

100 North Senate Avenue, Room N642

Indianapolis, IN 46204-2249

Description : The existing twin 3-span composite steel beam bridge carrying Interstate 80/90

over Fawn River will be widened and rehabilitated. The existing decks and beams will be removed down to the piers including barrier rails, joints, and drainage structures. The existing piers and abutements will be raised and widened. The reconstructed structures will be 30' by 132', steel rolled I-beam bridges. The length of the structures will not change but the width will be

extended to 46'. The existing piers will have approximately 2' removed from the

top and a portion of the end's to allow for widening. No reconstruction or widening of the existing foundation footings is necessary. Details of the project are contained in information and plans received at the Division of Water on

September 26, 2005.

Location : At the I-80/90 stream crossing

near Howe, Lima Township, LaGrange County

NE14, SE14, NW14, Section 14, T 38N, R 9E, Sturgis, MI-IN Quadrangle

Quad Code: 4108574

UTM Coordinates: Downstream 4623294 North, 628249 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-20262

Lake : Fish Lake

Applicant : Matt Richhart

5020 East 100 South

LaGrange, IN 46761-9594

Description : A 35' x 20' underwater beach will be constructed across 35' of the applicant's 70'

frontage by placing a uniform 4" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water

on September 26, 2005.

Location : 5020 East 100 South, North Shore Addition, Part of Lots 13 and 14

near Plato, Bloomfield Township, LaGrange County

NW1/4, NW1/4, NW1/4, Section 36, T 37N, R 10E, Mongo Quadrangle

Quad Code: 4108563

UTM Coordinates: Downstream 4609531 North, 639306 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20263

Lake : Lake James

Applicant : G. Charles Walbridge

12026 Fallen Leaf Court Fort Wayne, IN 46845-8992

Description : Five (5) temporary group piers will be placed in front of the applicant's frontage to

provided access and mooring facilities. The aluminum piers are 4' wide and will extend 80' into the lake. They will be supported by 3.5" auger poles, which will be placed in the lakebed using hand held tools. The spacing between the group piers will be approximately 44'. Details of the project are contained in information

and plans received at the Division of Water on September 26, 2005.

Location : 140 Lane 510 FA; Lot 1 in Eli's Point

near Angola, Jamestown Township, Steuben County

NE14, NE14, SW14, Section 33, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4619100 North, 663100 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20264

Lake : Crooked Lake

Applicant : Steven and Janet Miller

1176 East Jessup Way

Mooresville, IN 46158-7260

Description : A new concrete seawall will be constructed across the applicant's 45' frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on September 26, 2005.

Location : 55 Lane 350, Lot 4

near Angola, Pleasant Township, Steuben County

SE¼, NE¼, SE¼, Section 8, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4615426 North, 662310 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20265

Lake : Jimmerson Lake

Applicant : Olena and Ivan Petrov

4049 Kolze Avenue

Schiller Park, IL 60176-2109

Description : A 32.5' x 50' underwater beach will be constructed across 32.5' of the applicant's

75' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of

the project are contained in information and plans received at the Division of

Water on September 26, 2005.

Location : 820 Lane 340

near Angola, Jamestown Township, Steuben County

NW¼, SW¼, NW¼, Section 32, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4619239 North, 660857 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20266

Lake : Lake of the Woods

Applicant : Marshall County Board of Commissioners

Neal Haeck 9675 King Road

Plymouth, IN 46563-9075

Marshall County Commissioners 112 West Jefferson Street, Room 205

Plymouth, IN 46563-1769

Description : The County Highway would like to install a 140" tile to improve drainage and

better divert water flow through an existing drainage ditch from Lakeshore Drive to Lake of the Woods shore. A 10" - 12" diameter plastic tile will be placed as a conveyance for water runoff. The tile would then be covered with soil to create a smooth, aesthetic landscape. Details of the project are contained in information

received electronically by the Division of Water on September 27, 2005.

Location : Along the east side of Lake of the Woods, approx. 415' north of Carter Street, on

the west side of Lake Shore Drive

near Bremen, German Township, Marshall County

NE1/4, SE1/4, SW1/4, Section 6, T 34N, R 3E, Bremen Quadrangle

Quad Code: 4108642

UTM Coordinates: Downstream 4586100 North, 564782 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20267

Lake : Lake James

Applicant : Tom Turnwald

1250 Hospital Drive

Van Wert, OH 45891-9068

Description : A new glacial stone seawall will be constructed across 70' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Also a 20' x 30' underwater beach will be constructed across the applicant's frontage by placing a uniform 6" layer of pea gravel on the lakebed. A geotextile fabric will be placed along the shoreline prior to the placement of pea gravel and glacial stone. Details of the project are contained in information and

plans received at the Division of Water on September 28, 2005.

Location : 20 Lane 510 F

near Angola, Jamestown Township, Steuben County

NW14, NE14, SW14, Section 33, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4618857 North, 662984 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20268

Lake : Lake James

Applicant : Robert and Shirley Stafford

40 Lane 510 F Lake James Fremont, IN 46737-9451

Description : A new glacial stone seawall will be constructed across 70' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Also a 20' x 30' underwater beach will be constructed across the applicant's frontage by placing a uniform 6" layer of pea gravel on the lakebed. A geotextile fabric will be placed along the shoreline prior to the placement of the pea gravel and glacial stone. Details of the project are contained in information

and plans received at the Division of Water on September 28, 2005.

Location : 40 Lane 510 F Lake James

near Angola, Jamestown Township, Steuben County

NE14, NE14, SE14, Section 33, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4618895 North, 663066 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20269

Lake : Lake Wawasee

Applicant : Russell Anderson

7898 East Vawter Park Road Syracuse, IN 46567-9515

Description : An existing concrete seawall will be refaced across the 116' frontage of the

applicant on Lake Wawasee to prevent deterioration. The refacing will consist of concrete which will be tied to the existing wall with steel rods. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 24" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. The project will require excavating 5 cy of material, using a total of 22 cy of concrete, with apprimately 12 cy below the OHWM. No backfill will be required. Details of the project are contained in information received electronically at the Division of Water on September 30,

2005.

Location : The project is located on the southern shoreline of Lake Wawasee at a private

home at 7898 E. Vawter Park

near Syracuse, Turkey Creek Township, Kosciusko County

Section 22, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

RASR010 11 09/30/2005 10:47 AM